



**Pipeclip,
Bracketry,
H Frame &
Channel Range**

Exclusively distributed by



www.sigmechanicalelectrical.co.uk

Offsite Fabrication

Option 1 - Pre-cut Screwed Rod & Channel

Option 2 - Part or Fully Assembled Trapezes & H Frames

Why use this service?

- Increased accuracy and quality control
- Increased certainty of cost
- Speeds up on-site installation time
- Reduced skilled labour costs
- Reduced on-site waste
- Reduced material handling
- Reduced on-site equipment costs
- Reduced site deliveries
- Reduced on-site storage requirements
- Reduction in on-site health and safety risk (slips, trips, falls and repetitive cutting strain)

Contact us for an Offsite Fabrication Quote

Tel 01932 754 700

Fax 01932 754 754



Bracketry Range

Support Systems Bracketry & Accessories

Channel

Code	Size (mm)	Description
10526488	41 x 41 x 2.5	PG Plain Rail 6m
10526489	41 x 41 x 2.5	PG Slotted Rail 6m
10526498	41 x 21 x 2.5	PG Slotted Rail 6m
10526491	41 x 41 x 2.5	PG Slotted Rail 3m
10526492	41 x 21 x 2.5	PG Slotted Rail 3m
10526492	41 x 41 x 2.5	C2 PG Plain Back to Back Rail 6m
10526493	41 x 41 x 2.5	C2 PG Slotted Back to Back Rail 6m

Channel Material availability
Standards BS6946:1988
Standard Pre-galvanised Mild Steel BSEN 10147 1992
Hot Dipped Galvanised BSEN ISO 1461:1999
Stainless Steel BSEN 10088-2 Material No. 1.4404 (Grade 316)
2.5mm as Standard 1.5mm on Request



Threaded Rod

Standard Lengths Cut Pieces

Code	Size	Code	Size
10384695	M6 x 1m	10360804	M10 x 25mm
10373485	M8 x 1m	10360805	M10 x 30mm
10373447	M10 x 1m	10360806	M10 x 40mm
10373488	M8 x 2m	10360807	M10 x 50mm
10373449	M10 x 2m	10360808	M10 x 55mm
10374482	M6 x 3m	10360809	M10 x 60mm
10069479	M8 x 3m	10360810	M10 x 70mm
10069474	M10 x 3m	10360811	M10 x 80mm
10069431	M12 x 3m	10360812	M10 x 90mm
10069400	M16 x 3m	10360813	M10 x 95mm
10069404	M20 x 3m	10360814	M10 x 100mm
10384694	M24 X 3m	10360815	M10 x 110mm
		10360816	M10 x 120mm
		10360817	M10 x 150mm


Other dimensions & lengths available on request



Channel Nut

No Spring


Code	Size	Box Qty
10172478	M5	100
10172467	M6	100
10172470	M8	100
10172461	M10	100
10172464	M12	100
10172472	M16	100
10172473	M10 HDG	100



Channel Nut

Short Spring


Code	Size	Box Qty
10172468	M6	100
10172471	M8	100
10172462	M10	100
10172465	M12	100



Channel Nut

Long Spring

Code	Size	Box Qty
10172479	M5	100
10172466	M6	100
10172469	M8	100
10172460	M10	100
10172463	M12	100
10172474	M10 HDG	100




Channel End Cap

Code	Size (mm)	Colour
10367520	41x41	Black
10367523	41x41	White
10367522	41x41	Red
10367521	41x41	Black
10367465	41x21	Black
10367468	41x21	White
10379110	41x21	Red
10367466	41x21	Black




Flat A Washer

Code	Size	Bag Qty
10172995	M4	100
10172484	M5	100
10172485	M6	100
10172486	M8	100
10172480	M10	100
10172481	M12	100
10172482	M16	100
10172483	M20	100
10172998	M24	100




Hex Bolt

Code	Size	Box Qty
10173033	M16 x 60mm	50
10173034	M16 x 65mm	50
10173036	M16 x 80mm	25
10173038	M20 x 70mm	25
10173039	M20 x 75mm	25
10173041	M20 x 80mm	25




Hex Nut

Code	Size	Bag Qty
10172350	M6	100
10172351	M8	100
10172352	M10	100
10172353	M12	100
10172354	M16	100
10172337	M20	100
10172338	M24	100




Penny Washer

Code	Size	Bag Qty	Code	Size	Bag Qty
10172491	M5 x 20mm x 1.5mm	100	10172487	M10 x 25mm x 1.5mm	100
10172492	M5 x 25mm x 1.5mm	100	10172488	M10 x 30mm x 1.5mm	100
10172493	M6 x 20mm x 1.5mm	100	10172489	M10 x 40mm x 1.5mm	100
10172494	M6 x 25mm x 1.5mm	100	10173001	M12 x 30mm x 1.5mm	100
10172495	M6 x 30mm x 1.5mm	100			
10172496	M6 x 40mm x 1.5mm	100			
10172497	M8 x 25mm x 1.5mm	100			
10172498	M8 x 30mm x 1.5mm	100			




Roofing Bolt & Nut

Code	Size	Box Qty
10172499	M5 x 20mm	100
10172510	M6 x 8mm	100
10172500	M6 x 10mm	100
10172501	M6 x 12mm	100
10172502	M6 x 16mm	100
10172503	M6 x 20mm	100
10172504	M6 x 25mm	100
10172505	M6 x 30mm	100
10172506	M6 x 40mm	100
10172507	M6 x 50mm	100
10172508	M6 x 60mm	100
10172509	M6 x 80mm	100




Set Screw

Code	Size	Box Qty	Code	Size	Box Qty	Code	Size	Box Qty
10172532	M6 x 25mm	200	10172559	M8 x 30mm	200	10173014	M8 x 100mm	100
10172533	M8 x 16mm	200	10172560	M8 x 40mm	200	10173015	M10 x 45mm	100
10172534	M10 x 16mm	100	10172561	M8 x 50mm	200	10173019	M10 x 70mm	100
10172535	M10 x 20mm	100	10172562	M8 x 60mm	200	10173021	M16 x 35mm	25
10172536	M10 x 25mm	200	10172563	M10 x 50mm	100	10173022	M16 x 45mm	25
10172537	M16 x 60mm	25	10172564	M10 x 60mm	100	10173024	M16 x 50mm	25
10172538	M16 x 65mm	50	10172565	M10 x 80mm	100	10173026	M16 x 80mm	25
10172539	M16 x 70mm	50	10172566	M12 x 25mm	100	10173028	M20 x 40mm	25
10172540	M20 x 50mm	25	10172567	M12 x 30mm	50	10173029	M20 x 45mm	25
10172541	M20 x 80mm	25	10172568	M12 x 40mm	50	10173030	M20 x 75mm	25
10172542	M10 x 100mm	100	10172569	M12 x 50mm	50			
10172543	M12 x 35mm	50	10172570	M10 x 30mm	100			
10172544	M12 x 60mm	50	10172571	M10 x 35mm	100			
10172545	M6 x 12mm	200	10172572	M10 x 40mm	100			
10172546	M6 x 50mm	200	10173002	M6 x 16mm	200			
10172547	M8 x 70mm	200	10173004	M6 x 30mm	200			
10172548	M8 x 80mm	200	10173005	M6 x 35mm	200			
10172555	M16 x 40mm	25	10173007	M6 x 40mm	200			
10172556	M6 x 20mm	200	10173009	M6 x 60mm	200			
10172557	M8 x 20mm	200	10173010	M8 x 12mm	200			
10172558	M8 x 25mm	200	10173012	M8 x 35mm	200			




Square Plate Washer

Code	Size	Box Qty
10173119	M6	100
10173121	M8	100
10173122	M10	100
10173123	M12	100




Wedge Nut

Code	Size	Bag Qty
10172528	M6	100
10172530	M8	100
10172526	M10	100



Z Type Purlin Clamp

Code	Box Qty
10172666	100





















Contact your local branch today – see back page for your nearest branch

Bracketry Range

Support Systems Bracketry & Accessories


All products made to BS 6946:1988 standard.

<p>FCB102 2 Hole Plate</p>  <p>Code Box Qty 10161029 50</p>	<p>FCB103 3 Hole Plate</p>  <p>Code Box Qty 10161485 50</p>	<p>FCB104 4 Hole Plate</p>  <p>Code Box Qty 10161673 50</p>
<p>FCB105 5 Hole Plate</p>  <p>Code Box Qty 10161674 50</p>	<p>FCB106 Flat L Plate</p>  <p>Code Box Qty 10162990 50</p>	<p>FCB107 Flat Tee Plate</p>  <p>Code Box Qty 10167841 50</p>
<p>FCB108 90° Bracket 1 + 1 Hole</p>  <p>Code Box Qty 10170782 50</p>	<p>FCB109 90° Bracket 1 + 1 Hole</p>  <p>Code Box Qty 10172459 50</p>	<p>FCB110 90° Bracket 2 + 1 Hole</p>  <p>Code Box Qty 10172394 50</p>
<p>FCB111 90° Bracket 2 + 1 Hole</p>  <p>Code Box Qty 10172396 50</p>	<p>FCB112 90° Bracket 2 + 1 Hole</p>  <p>Code Box Qty 10172397 50</p>	<p>FCB113 90° Bracket 2 + 2 Hole</p>  <p>Code Box Qty 10172399 50</p>
<p>FCB114 90° Bracket 3 + 1 Hole</p>  <p>Code Box Qty 10172400 50</p>	<p>FCB118 90° Delta Bracket</p>  <p>Code Box Qty 10172401 50</p>	<p>FCB120 HD Angle Bracket</p>  <p>Code Box Qty 10172402 50</p>
<p>FCB122 Obtuse Angle Bracket</p>  <p>Code Box Qty 10172403 50</p>	<p>FCB124 Acute Angle Bracket</p>  <p>Code Box Qty 10172405 50</p>	<p>FCB126 'Z' Bracket 41/21</p>  <p>Code Box Qty 10172408 50</p>

Contact your local branch today – see back page for your nearest branch

FCB127


'Z' Bracket 41/41



Code | Box Qty
10172412 | 50

FCB129/41


Top Hat Bracket



Code | Box Qty
10172415 | 50

FCB129/82


Top Hat Bracket



Code | Box Qty
10172417 | 50

FCB131


'A' Plate



Code | Box Qty
10172418 | 50

FCB134


Base Plate with Single Fix



Code | Box Qty
10172419 | 40

FCB135


Base Plate with Double Fix



Code | Box Qty
10172420 | 40

FCB136


Base Plate for Double Channel



Code | Box Qty
10172422 | 20

FCB137


Single Delta Bracket



Code | Box Qty
10172423 | 20

FCB138


Double Delta Bracket



Code | Box Qty
10172424 | 20

FCB139


Channel Tee Bracket



Code | Box Qty
10172427 | 15

FCB141


Beam Clamp



Code | Box Qty
10172428 | 50

FCB142


Beam Clamp



Code | Box Qty
10172429 | 50

FCB144/21


Window Beam Clamp



Code | Box Qty
10172457 | 20

FCB144/41


Window Beam Clamp



Code | Box Qty
10172456 | 20

FCB144/82


Window Beam Clamp



Code | Box Qty
10172458 | 45

FCB145


U Bolt Beam Clamp



Code | Box Qty
10172453 | 50
10172454 | 45

FCB147/41

INT Connector



Code | Box Qty
10172455 | 25

Contact your local branch today – see back page for your nearest branch

Suspension Rings

Duct Suspension Clamps Type OBDC


Code	Description
10146391	Suspension Ring C/W Nut 100DIA
10146392	Suspension Ring C/W Nut 125DIA
10146393	Suspension Ring C/W Nut 150DIA
10146394	Suspension Ring C/W Nut 160DIA
10146395	Suspension Ring C/W Nut 180DIA
10146396	Suspension Ring C/W Nut 200DIA
10146397	Suspension Ring C/W Nut 224DIA
10146398	Suspension Ring C/W Nut 250DIA
10146400	Suspension Ring C/W Nut 300DIA
10146401	Suspension Ring C/W Nut 315DIA
10146402	Suspension Ring C/W Nut 355DIA
10146403	Suspension Ring C/W Nut 400DIA



Conduit Fixings

Conduit

BS EN 61386-1



Size	Code
20mm x 3.75mtr	10360917
25mm x 3.75mtr	10360915

Stop End Box

BS EN 61386



Size	Code
20mm	10367096
25mm	10367114

Through Box

BS EN 61386



Size	Code
20mm	10367102
25mm	10367116

Tee Box

BS EN 61386



Size	Code
20mm	10367103
25mm	10367117

Angle Box

BS EN 61386



Size	Code
20mm	10367095
25mm	10367113

Intersection Box

BS EN 61386



Size	Code
20mm	10367098
25mm	10367115

Branch U Box

BS EN 61386



Size	Code
20mm	10367104
25mm	10367118

Y Box

BS EN 61386



Size	Code
20mm	10367105
25mm	10367120

H Box

BS EN 61386



Size	Code
20mm	10367097
25mm	10378889

Back Outlet Box

BS EN 61386



Size	Code
20mm	10378875
25mm	10378887

1 Hole Loop In Box

BS EN 61386



Size	Code
20mm	10367099

2 Hole Loop In Box

BS EN 61386



Size	Code
20mm	1037100

Contact your local branch today – see back page for your nearest branch

Sitefix H Frame Range

The base solution for mounting your services on the roof

The Sitefix H Frame foot is a convenient, adaptable and low-cost answer for supporting hardware and roof apparatus or the furnishings of a plant room. This may surround projects involving pipe work, duct work, cable trays and/or air conditioning equipment.

Sitefix can assist you in keeping your installations low cost by sourcing your strut which can accompany Sitefix H Frame feet. The Sitefix H Frame feet are manufactured with either a pre-moulded 41mm² or 50mm² core, so when formulating frameworks on site, having both these options readily available, ensures your project is consistently flexible.


Where a greater load spread is required, you can upgrade to a 500mm x 500mm square foot, or for securing your ductwork and lightweight plant, our 12kg or 25kg foot can be used for extra ballast.

One of the greatest features of this product is that it is moulded as a one piece item; therefore, no fiddly plastic inserts or awkward rubber pads are required.

The feet are despatched as individual products, resulting in no wasted packaging on site or remnants of assembly kits that are surplus to requirements during installations.



Our standard 350 foot has a substantial 5.2kg weight – giving it greater stability compared to others available on the market.



Code	Description	Strut Size (mm)	Length (mm)	Height (mm)	Width (mm)	Weight (KG)
10585375	Sitefix H-Frame Foot Flat 350mm	41x41	350	95	350	5
10585398	Sitefix H-Frame Foot Flat 350mm	82x41 Back to back	350	95	350	5
10585424	Sitefix H-Frame Foot Flat 350mm	2x41x41	350	95	350	6
10585390	Sitefix H-Frame Foot 2.5deg 350mm	41x41	350	110	350	6.3
10585391	Sitefix H-Frame Foot 5deg 350mm	41x41	350	130	350	6.5
10585392	Sitefix H-Frame Foot Flat 350mm	41x41	350	165	350	12
10585393	Sitefix H-Frame Foot Flat 500mm	41x41	500	130	500	13.5
10585394	Sitefix H-Frame Foot 2.5° 500mm	41x41	500	153	500	15.9
10585395	Sitefix H-Frame Foot 5° 500mm	41x41	500	176	500	17.5
10585397	Sitefix H-Frame Foot Flat 450mm	41x41	450	155	450	25
10585396	Sitefix H-Frame Foot Flat 500mm	41x41	500	195	500	25
10585399	Sitefix H-Frame Foot Flat 500mm	82x41 Back to back	500	130	500	13.5

Material Specification

The rubber is milled, sieved & graded Styrene Butadiene rubber (Black SBR) in reclaimed truck/lorry tyre shred & granular form. Bound together using an 8% ratio of moisture curing Polyurethane Pre-Polymer
UV Resistant Recycled Rubber
Working Temperature Range: -35°C to +80°C

All dimensions +/- 2mm. Weight per unit +/- 3%

Contact your local branch today – see back page for your nearest branch

Sitefix Channel Range

For supporting pipework, cable trays and small outdoor condensing units

The nine feet of the standard channel range are a practical and versatile support solution for pipework and cable trays. They can also be used for smaller outdoor condensing units or air source heat pump installations.

The feet can have either a 41mm x 21mm 'glued in' pre-galvanised steel channel or our new 'moulded in' aluminium T-bar channel, which is recessed into the top face allowing you to use standard strut fixings to secure your services to the feet.

The Sitefix channel range of products is made from recycled SBR rubber, making them ECO friendly. They also have the added advantage of vibration and noise absorption which makes them the ideal product for roof or ground level installations.



The T-bars are even more eco friendly as the need for adhesive to hold the channel in place has been completely eliminated.



Code	Description	Length (mm)	Height (mm)	Width (mm)	Weight (KG)
10585430	Sitefix Channel Foot 250mm Low	250	50	132	1.1
10585431	Sitefix Channel Foot 400mm Low	400	50	132	2.1
10585425	Sitefix Channel Foot 250mm	250	100	183	2.6
10585426	Sitefix Channel Foot 400mm	400	100	183	4.3
10585427	Sitefix Channel Foot 520mm	520	80	160	4.6
10585428	Sitefix Channel Foot 600mm	600	100	185	4.7
10585432	Sitefix Channel Foot 600mm	600	100	130	4.1
10585433	Sitefix Channel Foot 600mm	600	100	220	8.1
10585434	Sitefix Channel Foot 1000mm	1000	100	185	11.4

Material Specification

The rubber is milled, sieved & graded Styrene Butadiene rubber (Black SBR) in reclaimed truck/lorry tyre shred & granular form. Bound together using a 8% ratio of moisture curing Polyurethane Pre-Polymer
 UV Resistant Recycled Rubber
 Working Temperature Range: -35°C to +80°C

All dimensions +/- 2mm. Weight per unit +/- 3%

Contact your local branch today – see back page for your nearest branch

Sitefix Channel Extra High Range

For supporting heat pumps, condensers, pipes and cable trays

The Sitefix Channel Extra High Range has been designed to support your air conditioning and heat recovery units at least 150mm off surface level, without the need of buying a full framework solution.

The 500 and 600 Sitefix channel feet are moulded as a complete unit. The 1000 Sitefix channel foot has been designed as a two component system for ease of manoeuvrability.

The feet can have either a 41mm x 21mm 'glued in' pre-galvanised steel channel or our new 'moulded in' aluminium T-bar channel, which is recessed into the top face allowing you to use standard strut fixings to secure your services to the feet.

The Sitefix channel range of products is made from recycled SBR rubber, making them ECO friendly. They also have the added advantage of vibration and noise absorption which makes them the ideal product for roof or ground level installations.



All of our channels are 100% compatible with standard fixtures and fittings. All our feet have hollowed out undersides to assist perfect positioning on pebbled or gravel surfaces.



Code	Description	Length (mm)	Height (mm)	Width (mm)	Weight (KG)
10585436	Sitefix Channel Foot Step System 500mm	500	150	160	8
10585435	Sitefix Channel Foot Step System 600mm	600	200	230	17.8
10585434*	Sitefix Channel Foot Step System 1000mm	1000	100	185	11.4
10585429*	Sitefix Step System Block 1000mm	1000	100	190	14

*These items need to be ordered together.

Material Specification

The rubber is milled, sieved & graded Styrene Butadiene rubber (Black SBR) in reclaimed truck/lorry tyre shred & granular form. Bound together using an 8% ratio of moisture curing Polyurethane Pre-Polymer
UV Resistant Recycled Rubber
Working Temperature Range: -35°C to +80°C

All dimensions +/- 2mm. Weight per unit +/- 3%

Contact your local branch today – see back page for your nearest branch

Sitefix Anti-vibration

Anti-vibration strips, pads & slabs

Sitefix Walkway Tiles and Anti-Vibration Mats are made from Recycled SBR Rubber, making them ECO friendly. They also have the added advantage of vibration and noise absorption which makes them the ideal product for roof or ground level installations.

Used in many industries to isolate vibration, protect equipment from the effects of shock and reduce noise levels.

There are 10 designs and thicknesses of anti-vibration products consisting of tiles, pads and slabs.



Moulded-in discreet steel reinforcement plate.



Code	Description	Length (mm)	Depth (mm)	Width (mm)	Weight (KG)
10585437	Sitefix Vibro Pad 330mm, 45mm Thick	330	45	330	3
10585438	Sitefix Walkway Mat 500mm, 45mm Thick (Pinned)	500	45	500	7.4
10585440	Sitefix Vibro Reinforced Mat 600mm (1x Steel Plate)	600	30	150	2.2
10585439	Sitefix Vibro Reinforced Mat 1000mm (2x Steel Plate)	1000	30	500	13
10585441	Sitefix Vibro Strip 1000mm	1000	17	75	1.4
10585442	Sitefix Vibro Strip 1000mm	1000	17	100	2.7

Material Specification

The rubber is milled, sieved & graded Styrene Butadiene rubber (Black SBR) in reclaimed truck/lorry tyre shred & granular form. Bound together using an 8% ratio of moisture curing Polyurethane Pre-Polymer
 UV Resistant Recycled Rubber
 Working Temperature Range: -35°C to +80°C

All dimensions +/- 2mm. Weight per unit +/- 3%

Contact your local branch today – see back page for your nearest branch

Call your local branch today

Exclusively distributed by



An SIG AIR HANDLING company

1 SIG M&E - West London

Longwood Business Park,
Fordbridge Road,
Sunbury-on-Thames,
Middlesex, TW16 6AZ
Tel: 01932 754700
Fax: 01932 754754

2 SIG M&E - Manchester

Block 1 River Park,
Riverpark Road,
Manchester, M40 2XP
Tel: 0161 301 6568
Fax: 0161 872 7486



3 West London

Longwood Business Park,
Fordbridge Road,
Sunbury-on-Thames,
Middlesex, TW16 6AZ
Tel: 01932 754700
Fax: 01932 754754

4 Manchester

Block 1, River Park,
River Park Road, Eastlands,
Manchester, M40 2XP
Tel: 0161 301 6568
Fax: 0161 872 7486

5 Aberdeen

Unit 9,
Blackness Industrial Estate,
Blackness Road, Altens,
Aberdeen, AB12 3LH
Tel: 01224 871066
Fax: 01224 871102

6 Andover

Unit 1, Queensway,
Walworth Industrial Estate,
Andover, SP10 5LG
Tel: 01264 366595
Fax: 01264 366891

7 Basildon

31 Nobel Square,
Burnt Mills Industrial Estate,
Basildon, Essex, SS13 1LT
Tel: 01268 596760
Fax: 01268 590766

8 Birmingham

Unit 1, Octagon Business Centre,
Miller Street,
Birmingham, B6 4NF
Tel: 0121 359 6374
Fax: 0121 359 3420

9 Crawley

Unit 16, Denvale Trade Park,
Haslett Avenue East,
Crawley, RH10 1SS
Tel: 01293 528 700
Fax: 01293 522 449

10 Croydon

Unit 16, Kimpton Trade &
Business Centre, Minden Road,
Sutton, SM3 9PF
Tel: 0208 644 2223
Fax: 0208 644 1411

11 Glasgow

Unit 2A, Lambhill Quadrant,
Glasgow, G41 1SB
Tel: 0141 429 0264
Fax: 0141 429 8949

12 Heathrow

Longwood Business Park,
Fordbridge Road,
Sunbury-on-Thames,
Middlesex, TW16 6AZ
Tel: 0203 292 1425
Fax: 0203 292 1426

13 Leeds

Intermezzo Drive, Pontefract Road,
Leeds, LS10 1RU
Tel: 0113 385 7770
Fax: 0113 385 7771

14 Leicester

Unit E, Braunstone Industrial
Estate, 139 Scudamore Rd,
Leicester, LE3 1UQ
Tel: 0116 232 5005
Fax: 0116 232 5001

15 Manchester

Block 1, River Park,
River Park Road, Eastlands,
Manchester, M40 2XP
Tel: 0161 872 7400
Fax: 0161 230 7327

16 Norwich

Unit C1, Rhombus Business Park,
Sapphire Way, Diamond Road,
Norwich, NR6 6NN
Tel: 01603 417522
Fax: 01603 417524

17 Oxford

Unit 8, Drakes Drive,
Long Crendon Industrial Estate,
Long Crendon,
Bucks, HP18 9FE
Tel: 01844 202349
Fax: 01844 202175

18 Ramsgate

Unit 7, Hedgend Industrial Estate,
Shuart Lane, St Nicholas at Wade,
Thanet, CT7 0NB
Tel: 01843 843424
Fax: 01843 843863

19 Swansea

Penybanc Depot,
Penybanc Road, Ammanford,
Swansea, SA18 3RB
Tel: 01792 771582
Fax: 01792 771713

20 Tottenham

Unit 9A, Garman Road,
Tottenham, N17 0UR
Tel: 0208 365 9277
Fax: 0208 493 8716

21 Washington

Unit 2, 194 Commerce Park,
Stephenson Road,
Washington, NE37 3HT
Tel: 0191 416 4455
Fax: 0191 416 4457

22 Welwyn Garden City

Unit 11, Mundells Industrial
Centre, Little Mundells,
Welwyn Garden City,
Herts, AL7 1EW
Tel: 01707 395442
Fax: 01707 395443

23 Yeovil

Unit 15-16, Bartlett Park,
Gazelle Road,
Lynx Trading Estate,
Yeovil, BA20 2PJ
Tel: 01935 427997
Fax: 01935 427998



24 West London

Longwood Business Park,
Fordbridge Road,
Sunbury-on-Thames,
Middlesex, TW16 6AZ
Tel: 01252 527010
Fax: 01252 527001

25 Birmingham

Apollo Park,
Rounds Green Road, Oldbury,
West Midlands, B69 2DF
Tel: 0121 569 7899
Fax: 0121 544 8026

26 Bristol

Unit 3, Fishponds Trading Estate,
Oak Lane, Bristol, BS5 7UY
Tel: 0117 931 3428
Fax: 0117 931 3411

27 Leeds

Intermezzo Drive, Pontefract Road,
Leeds, LS10 1RU
Tel: 0113 385 7790
Fax: 0113 385 7701

28 Manchester

Block 1, River Park,
River Park Road, Eastlands,
Manchester, M40 2XP
Tel: 0161 868 2456
Fax: 0161 868 4775

29 Thurrock

Victor House, Bay Manor Lane,
Grays, Essex, RM20 3LL
Tel: 01708 802486
Fax: 01708 834201

